## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	09/771358	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 111:24
L2	4	09/771358 and (document near2 type \$1)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:25
L3	5	09/771358 or 11/414827	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:27
L4	2	"7269664".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:28
L5	1	"7269664".pn. and (document near2 type)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:28
L8	0	09/771358 and (hierarchy with folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 111:34
L9	O	09/771358 and (hierarchy same folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 111:34

L10	4	09/771358 and (hierarch\$ folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	William Willia	2008/12/13 11:34
L11	0	09/771358 and (hierarch\$ with folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L12	0	09/771358 and (sub- folder and folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:34
L13	4	09/771358 and (sub- folders and folders)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L14	4	09/771358 and (sub- folders and folders) and(type or (document near2 type))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L15	0	11/414827 and (folders) and tree and sub-folders	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L16	0	11/414827 and (folders) and tree	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L17	1	11/414827 and (folders)	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 11:41

L18	9	(folders same (sub- folders)) same (document near2 type \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	William Willia	2008/12/13 11:42
L19	4	(folders same (sub- folders)) same (document near2 type \$1) and fields	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:43
L20	96	(folders same (sub- folders)) and (document near2 type \$1)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:44
L21	31	(folders same (sub- folders)) and ((document near2 type \$1) same folder\$1)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:44
L22	192	(document near2 type) with folder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:56
L23	12	22 and (sub-folders)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:56
L24	215	(document near2 type) with folder\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 11:57
L25	12	24 and (sub-folders)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 11:57

L26	25	(type with folder) and (document near2 type) and (sub-folder)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L27	2	"7269664".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L28	0	"7269664".pn. and folders and type and sub-folders	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L <b>2</b> 9	1	"7269664".pn. and folders and type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L30	1	"09602818"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L31	1	"09/602818"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L32	1	"09/602818" and authori\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L33	1	"09/602818" and ((author or level) same folder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 12:28

L34	1	"09/602818" and (author or level) and (folder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	WILLIAM TO THE STATE OF THE STA	2008/12/13 12:29
L35	1415	microsoft and (search \$3 same folders)	US-PCIPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:24
L36	79	microsoft and (search \$3 same folders) and (hierarch\$3 with folders) and (type near2 document)	US-PCIPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:25
L37	2	"6775537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:40
L38	2	"6775537".pn. and search\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L39	0	"6775537".pn. and (file near2 system)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:42
L40	0	"6775537".pn. and (folder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	***OFF	2008/12/13 13:42
L41	0	"6775537".pn. and (file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 13:42

L42	0	"6775537".pn. and (directory)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	WOFF	2008/12/13 13:42
L43	48	(select\$3 with template) same (creat \$3 with folder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L44	0	"7272815".in. and (document near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:50
L45	0	"7272815".in. and (document with type)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L46	0	"7272815".in. and (data with type)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:50
L47	0	"7272815".in. and (folder with type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:50
L48	0	"7272815".in.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:50
L49	0	"7272815".pn. and (document near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13

L50	2	"7272815".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L51	0	"7272815" pn. and (folder with type)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L52	1	"7272815".pn. and (folder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:51
L53	1	"7272815" pn. and (folder) and type	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:51
L54	4	707/100 and (hierarchy with folders) and templates and (select\$3 with template) and (microsoft)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:53
L55	26	43 and (microsoft)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 13:54
L56	2	"6775537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:13
L57	2	"6775537".pn. and search	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 14:13

L58	2	"6775537".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/13
L59	2	"6775537".pn. and searching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:17
L60	0	"6775537".pn. and cop \$3	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:29
L61	0	"6775537".pn. and copy	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:29
L62	0	"6775537".pn. and fill	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:29
L63	0	"09/602818" and copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:31
L64	1	"09/602818" and cop\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:31
L65	1	"09/602818" and author\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 14:41

L66	0	"09/602818" and level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	WHITE THE PROPERTY OF THE PROP	2008/12/13 14:42
L67	0	"09/602818" and levels	US-PGPUB; USPAT; USOCR; FPPS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:42
L68	2	"6307547".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:45
L69	1	"6307547".pn. and (creat\$3 same folder same select\$3 same template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:45
L70	173	(creat\$3 same folder same select\$3 same template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:45
L71	120	(creat\$3 same folder same select\$3 same template) and folders	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:45
L72	73	(creat\$3 same folder same select\$3 same template) and folders and hierarchy	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:46
L73	65	(creat\$3 same folder same select\$3 same template) and folders and hierarchy and types	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 14:46

L74	56	(creat\$3 same folder same select\$3 same template) and folders and hierarchy and types and fields	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/13 14:46
L75	37	(creat\$3 same folder same select\$3 same template) and folders and hierarchy and types and fields and (select\$3 with template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:53
L76	24	(creat\$3 same folder same select\$3 same template) and folders and hierarchy and types and fields and (select\$3 with template) and (creat \$3 with folder with user)	US-PCPUB; USPAT; USOCR; FPRS; EFO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 14:53
L77	2	("6477435".pn.)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L78	0	("6477435".pn.) and (select\$3 with template)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L79	48	(select\$3 with template) same (creat \$3 with folder)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:02
L80	1	79 and "20020103689"	US-PCPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 15:11

L81	1	"20020103689" and (creat\$3 with folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR		2008/12/13 15:20
L82	0	"20020103689" and ((creat\$3 with folders) same user)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13
L83	1	"20020103689" and ((creat\$3 with folder) same user)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:21
L84	2	"7269664".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:25
L85	2	"6307547".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:27
L86	2	"20060195778"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:32
L87	1	"20060195778" and (creat\$3 same folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:32
L88	56	(select\$3 with template \$) same (creat\$3 with folder)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/12/13 15:34

L89	153	(select\$3 with folder with type) same (creat \$3 with folder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:43
L90	48	(select\$3 with folder with type) same (creat \$3 with folders)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/13 15:43

12/13/2008 3:47:03 PM